

● první volba
○ alternativní volba


P				
M				
K	●			●
N				
S		●		
H	●			

CNGN



Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
CNGN120404T02020	12,70	12,90	4,76	0,4	—	●		
CNGN120408T01020	12,70	12,90	4,76	0,8	—		●	
CNGN120408T02020	12,70	12,90	4,76	0,8	—	●		●
CNGN120412T01020	12,70	12,90	4,76	1,2	—		●	
CNGN120412T02020	12,70	12,90	4,76	1,2	—	●		●
CNGN120416T01020	12,70	12,90	4,76	1,6	—		●	
CNGN120416T02020	12,70	12,90	4,76	1,6	—	●		●
CNGN120712T01020	12,70	12,90	7,94	1,2	—		●	
CNGN120712T02020	12,70	12,90	7,94	1,2	—	●		●
CNGN120716T01020	12,70	12,90	7,94	1,6	—		●	
CNGN120716T02020	12,70	12,90	7,94	1,6	—	●		●
CNGN160716T02020	15,88	16,12	7,94	1,6	—		●	●

CNGA




Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
CNGA120404T02020	12,70	12,90	4,76	0,4	5,16	●		
CNGA120408T02020	12,70	12,90	4,76	0,8	5,16	●		●
CNGA120412T02020	12,70	12,90	4,76	1,2	5,16	●		●
CNGA120416T02020	12,70	12,90	4,76	1,6	5,16			●
CNGA160612T02020	15,88	16,12	6,35	1,2	6,35	●		●
CNGA160616T02020	15,88	16,12	6,35	1,6	6,35			●
CNGA190612T02020	19,05	19,34	6,35	1,2	7,93	●		●
CNGA190616T02020	19,05	19,34	6,35	1,6	7,93	●		●

CNGA-FW





Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
CNGA120408T01020FW	12,70	12,90	4,76	0,8	5,16			●
CNGA120412T01020FW	12,70	12,90	4,76	1,2	5,16			●
CNGA120416T01020FW	12,70	12,90	4,76	1,6	5,16			●

CNGX




Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
CNGX120708T02020	12,70	12,90	7,94	0,8	—			●
CNGX120712T02020	12,70	12,90	7,94	1,2	—			●
CNGX120716T02020	12,70	12,90	7,94	1,6	—			●
CNGX160716T02020	15,88	16,12	7,94	1,6	—			●



- první volba
- alternativní volba


P				
M				
K	●			
N				
S		●		
H	●			

■ CNGX-FW




Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
CNGX120712T01020FW	12,70	12,90	7,94	1,2	—			●

■ CNMA





Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
CNMA120408T02020	12,70	12,90	4,76	0,8	5,16			●
CNMA120412T02020	12,70	12,90	4,76	1,2	5,16			●
CNMA120416T02020	12,70	12,90	4,76	1,6	5,16			●
CNMA160612T02020	15,88	16,12	6,35	1,2	6,35			●
CNMA160616T02020	15,88	16,12	6,35	1,6	6,35			●

■ CNMX



Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
CNMX120712T02020	12,70	12,90	7,94	1,2	—			●
CNMX120716T02020	12,70	12,90	7,94	1,6	—			●



● první volba
○ alternativní volba

P				
M				
K	●			●
N				
S		●		
H	●			

DNGN



Katalogové číslo ISO

D

L10

S

Rε

D1

CW2015
CW3020
CW5025

DNGN150704T02020

12,70

15,50

7,94

0,4

—

●

DNGN150708T01020

12,70

15,50

7,94

0,8

—

●

DNGN150708T02020

12,70

15,50

7,94

0,8

—

●

DNGN150712T01020

12,70

15,50

7,94

1,2

—

●

DNGN150712T02020

12,70

15,50

7,94

1,2

—

●

DNGN150716T01020

12,70

15,50

7,94

1,6

—

●

DNGN150716T02020

12,70

15,50


7,94

1,6

—

●

DNGA



Katalogové číslo ISO

D

L10

S

Rε

D1

CW2015
CW3020
CW5025

DNGA150404T02020

12,70

15,50

4,76

0,4

5,16

●

DNGA150408T02020

12,70

15,50

4,76

0,8

5,16

●

DNGA150412T02020

12,70

15,50

4,76

1,2

5,16

●

DNGA150604T02020

12,70

15,50

6,35

0,4

5,16

●

DNGA150608T02020

12,70

15,50

6,35

0,8

5,16

●

DNGA150612T02020

12,70

15,50


6,35

1,2

5,16

●

DNGX



Katalogové číslo ISO

D

L10

S

Rε

D1

CW2015
CW3020
CW5025

DNGX120712T02020

10,00

12,21

7,94

1,2

—

●

DNGX120716T02020

10,00

12,21

7,94

1,6

—

●

DNGX150708T02020

12,70

15,50

7,94

0,8

—

●

DNGX150712T02020

12,70

15,50

7,94

1,2

—

●

DNGX150716T02020

12,70

15,50


7,94

1,6

—

●

DNMA



Katalogové číslo ISO

D

L10

S

Rε

D1

CW2015
CW3020
CW5025

DNMA150412T02020

12,70

15,50


4,76

1,2

5,16

●

DNMX



Katalogové číslo ISO

D

L10

S

Rε

D1

CW2015
CW3020
CW5025

DNMX150716T02020

12,70




15,50

7,94

1,6

—


●



- první volba
○ alternativní volba

P				
M				
K				
N				
S				
H				

■ ENGN



Katalogové číslo ISO

ENGX130704T02020

ENGX130708T02020

ENGX130712T02020

ENGX130716T02020

D

L10

S

Rε


D1

CW2015

CW3020

CW5025

■ ENGX



Katalogové číslo ISO

ENGX130716T02020

D


L10

S

Rε

D1

■ RCGX



Katalogové číslo ISO

RCGX060400T01020

RCGX090700T01020

RCGX090700T02020

RCGX090700T07015

RCGX090700T20015

RCGX120700T01020

RCGX120700T02020

RCGX120700T20015

D

L10

S

Rε

D1

■ RPGX



Katalogové číslo ISO

RPGX060400T01020

RPGX090700T01020

RPGX120700T01020


D

L10

S

Rε

D1



● první volba
○ alternativní volba


P				
M				
K				
N				
S				
H				

■ RNGN



Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
RNGN090300T01020	9,53	—	3,18	—	—	●		
RNGN090400T02020	9,53	—	4,76	—	—	●		
RNGN120400T01020	12,70	—	4,76	—	—	●	●	
RNGN120400T02020	12,70	—	4,76	—	—	●		●
RNGN120700T01020	12,70	—	7,94	—	—	●	●	
RNGN120700T02020	12,70	—	7,94	—	—	●		●
RNGN120700T10015	12,70	—	7,94	—	—	●		
RNGN120700T15015	12,70	—	7,94	—	—		●	
RNGN120700T20015	12,70	—	7,94	—	—	●		
RNGN150700T02020	15,88	—	7,94	—	—	●		●

■ RNMN



Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
RNMN120700T02020	12,70	—	7,94	—	—			●

■ SCGN



Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
SCGN090412T00520	9,53	9,53	4,76	1,2	—			●

■ SCGN-FW




Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
SCGN090408EFW	9,53	9,53	4,76	0,8	—			●

■ SCUN



Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
SCUN120412T00520	12,70	12,70	4,76	1,2	—	●		



● první volba
○ alternativní volba

P				
M				
K				
N				
S				
H				


Břítové destičky • Keramické břitové destičky

SNGN





Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
SNGN090308T02020	9,53	9,53	3,18	0,8	—	●		
SNGN090412T00515	9,53	9,53	4,76	1,2	—	●		
SNGN120408T00520	12,70	12,70	4,76	0,8	—	●		
SNGN120408T02020	12,70	12,70	4,76	0,8	—	●		●
SNGN120412T01020	12,70	12,70	4,76	1,2	—	●	●	
SNGN120412T02020	12,70	12,70	4,76	1,2	—	●		●
SNGN120416T01020	12,70	12,70	4,76	1,6	—	●	●	
SNGN120416T02020	12,70	12,70	4,76	1,6	—	●		●
SNGN120704T02020	12,70	12,70	7,94	0,4	—	●		
SNGN120708T02020	12,70	12,70	7,94	0,8	—	●		
SNGN120712T00520	12,70	12,70	7,94	1,2	—	●		
SNGN120712T01020	12,70	12,70	7,94	1,2	—	●	●	
SNGN120712T02020	12,70	12,70	7,94	1,2	—	●		●
SNGN120716T00520	12,70	12,70	7,94	1,6	—	●		
SNGN120716T01020	12,70	12,70	7,94	1,6	—	●	●	
SNGN120716T02020	12,70	12,70	7,94	1,6	—	●		●
SNGN120720T02020	12,70	12,70	7,94	2,0	—	●		
SNGN120720T10015	12,70	12,70	7,94	2,0	—	●		
SNGN150712T02020	15,88	15,88	7,94	1,2	—	●		
SNGN150716T02020	15,88	15,88	7,94	1,6	—	●		
SNGN190720K20015	19,05	19,05	7,94	2,0	—	●		
SNGN190720T20015	19,05	19,05	7,94	2,0	—	●		

SNGA



Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
SNGA120408T02020	12,70	12,70	4,76	0,8	5,16	●		●
SNGA120412T02020	12,70	12,70	4,76	1,2	5,16	●		●
SNGA120416T02020	12,70	12,70	4,76	1,6	5,16	●		●
SNGA150612T02020	15,88	15,88	6,35	1,2	6,35			●
SNGA150616T02020	15,88	15,88	6,35	1,6	6,35			●



● první volba
○ alternativní volba

P				
M				
K				
N				
S				
H				

SNGX



Katalogové číslo ISO

SNGX120708T02020

SNGX120712T02020

SNGX120716T02020

SNGX150716T02020

D

12,70

12,70

12,70

15,88

L10

12,70

12,70

12,70

15,88

S

7,94

7,94

7,94

7,94

Rε

0,8

1,2

1,6

1,6

D1

—

—

—

—

CW2015

—

—

—

—

CW3020

—

—

—

—

CW5025

—

—

—

—

SNGX-FW



Katalogové číslo ISO

SNGX120712T01020FW

D

12,70

L10

12,70

S

7,94

Rε

1,2

D1

—

CW2015

—

—

—

—

CW3020

—

—

—

—

CW5025

—

—

—

—

SNMN



Katalogové číslo ISO

SNMN120412T02020

SNMN120416T02020

D

12,70

12,70

L10

12,70

12,70

S

4,76

4,76

Rε

1,2

1,6

D1

—

—

CW2015

—

—

—

—

CW3020

—

—

—

—

CW5025


—

—

—

—

SNMA



Katalogové číslo ISO

SNMA120412T02020

SNMA120416T02020

SNMA150616T02020

D

12,70

12,70

15,88

L10

12,70

12,70

15,88

S

4,76

4,76

6,35

Rε

1,2

1,6

1,6

D1

5,16

5,16

6,35

CW2015

—

—

—

—

—

—

CW3020

—

—

—

—

—

—

CW5025

—


—

—

—

—

—



- první volba
- alternativní volba

P				
M				
K	●			●
N				
S			●	
H	●			

■ SNMX



Katalogové číslo ISO

SNMX120712T02020

SNMX120716T02020

SNMX150716T02020

D

L10

S

Rε

D1

CW2015

CW3020

CW5025

■ SPGN



Katalogové číslo ISO

SPGN090308T01020

SPGN120304T01020

SPGN120308T01020

D

L10

S

Rε

D1

■ SPUN



Katalogové číslo ISO

SPUN120304T00520

SPUN120308T00520

SPUN120312T00520


D

L10

S

Rε


D1



● první volba
○ alternativní volba


P				
M				
K				
N				
S				
H				

TNGN



Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
TNGN110308T02020	6,35	11,00	3,18	0,8	—	●		
TNGN160404T02020	9,53	16,50	4,76	0,4	—	●		
TNGN160408T01020	9,53	16,50	4,76	0,8	—	●	●	
TNGN160408T02020	9,53	16,50	4,76	0,8	—	●		●
TNGN160412T01020	9,53	16,50	4,76	1,2	—	●	●	
TNGN160412T02020	9,53	16,50	4,76	1,2	—	●		●
TNGN160416T02020	9,53	16,50	4,76	1,6	—	●		
TNGN160708T02020	9,53	16,50	7,94	0,8	—	●		
TNGN160712T02020	9,53	16,50	7,94	1,2	—	●		
TNGN220408T02020	12,70	22,00	4,76	0,8	—	●		
TNGN220416T02020	12,70	22,00	4,76	1,6	—			●

TNGA






Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
TNGA160408T02020	9,53	16,50	4,76	0,8	3,81	●		●
TNGA160412T02020	9,53	16,50	4,76	1,2	3,81	●		●
TNGA160416T02020	9,53	16,50	4,76	1,6	3,81	●		●
TNGA220408T02020	12,70	22,00	4,76	0,8	5,16	●		

TPGN



Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
TPGN110304T01020	6,35	11,00	3,18	0,4	—	●		
TPGN110308T01020	6,35	11,00	3,18	0,8	—	●		
TPGN110312T01020	6,35	11,00	3,18	1,2	—	●		
TPGN160304T00520	9,53	16,50	3,18	0,4	—	●		
TPGN160304T01020	9,53	16,50	3,18	0,4	—	●		
TPGN160308T00520	9,53	16,50	3,18	0,8	—	●		
TPGN160308T01020	9,53	16,50	3,18	0,8	—	●		
TPGN160308T02020	9,53	16,50	3,18	0,8	—			●
TPGN160312T01020	9,53	16,50	3,18	1,2	—	●		
TPGN160312T02020	9,53	16,50	3,18	1,2	—			●



- první volba
- alternativní volba

P				
M				
K				
N				
S				
H				

VNGA

	Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
	VNGA160404T02020	9,53	16,61	4,76	0,4	3,81	●		
	VNGA160408T02020	9,53	16,61	4,76	0,8	3,81	●		●
	VNGA160412T02020	9,53	16,61	4,76	1,2	3,81	●		
	VNGA220408T02020	12,70	22,14	4,76	0,8	5,16	●		

WNGA

	Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
	WNGA080408T02020	12,70	8,69	4,76	0,8	5,16			●
	WNGA080412T02020	12,70	8,69	4,76	1,2	5,16			●
	WNGA080416T02020	12,70	8,69	4,76	1,6	5,16			●

WNGX

	Katalogové číslo ISO	D	L10	S	Rε	D1	CW2015	CW3020	CW5025
	WNGX080712T02020	12,70	8,69	7,94	1,2	—			●

Břítové destičky • Keramické břitové destičky